



PRODUCT INDEX

Designed to make faster connections

Inti Hose Group's range of quick release couplings is designed to make life easier for operators who need to connect and disconnect equipment quickly and easily.

The 7000 and 8000 series couplings are particularly suitable for applications where clinically clean connections are required.

Many major O.E.M.'s already specify flat face quick release couplings and they can be found in use in agriculture, construction plant, mobile equipment, in factories and other industrial sites, as well as in the mining industry.

	Series	Page		Series	Page	
	4000 Series ISO B Coupling Body Carrier	4002	149		QPQ/7001	152
	Stainless Steel 4000 Series ISO B Male Tip Probe	SS/4001	149		QPQ/7002	152
	Stainless Steel 4000 Series ISO B Coupling Body Carrier	SS/4002	149		7101	153
	Brass 4000 Series ISO B Male Tip Probe	B/4001	149		7102	153
	Brass 4000 Series ISO B Coupling Body Carrier	B/4002	149		7201	153
	4000 Series ISO B Plastic Protective Cap	4003	149		7202	153
	4000 Series ISO B Plastic Protective Plug	4004	149		7003	153
	4000 Series ISO B Replacement Seal Kit	4009	150		7004	153
	1000 Series Tipper Truck Couplings Male Tip Probe	1001	148		8001	153
	1000 Series Tipper Truck Couplings Female Body Carrier	1002	148		8002	153
	1000 Series Tipper Truck Couplings Steel Protective Cap	1003	148		8003	153
	1000 Series Tipper Truck Couplings Steel Protective Plug	1004	148		8004	153
	1000 Series Tipper Truck Couplings Female Parking Station	1008	148		8601	154
	1100 Series Trailer Brake Coupling Male Tip Probe	1101	148		8602	154
	1100 Series Trailer Brake Coupling Body Carrier	1102	148		8803	154
	2000 Series Valveless Water Coupling Male Tip Probe	2001	148		8800	154
	2000 Series Valveless Water Coupling Body Carrier	2002	148		8801	154
	3300 Series Female Thread Male Tip Probe Poppet Type	3301	148		8802	154
	3300 Series Female Thread Coupling Body Carrier Poppet Type	3302	148		TEMA	154
	3310 Series Male Thread Coupling Body Carrier Poppet Type	3312	148		TEMA	154
	3600 Series Female Thread Male Tip Probe Ball Type	3601	148			
	3600 Series Female Thread Coupling Body carrier Ball Type	3602	148			
	3610 Series Male Thread Coupling Body Carrier Ball Type	3612	149			
	3000 Series Aluminium Cap	3003	149			
	3000 Series Aluminium Plug	3004	149			
	4000 Series ISO B Male Tip Probe	4001	149			
	4000 Series ISO B Coupling Body Carrier	4002	149			
	Stainless Steel 4000 Series ISO B Male Tip Probe	SS/4001	149			
	Stainless Steel 4000 Series ISO B Coupling Body Carrier	SS/4002	149			
	Brass 4000 Series ISO B Male Tip Probe	B/4001	149			
	Brass 4000 Series ISO B Coupling Body Carrier	B/4002	149			
	4000 Series ISO B Plastic Protective Cap	4003	149			
	4000 Series ISO B Plastic Protective Plug	4004	149			
	4000 Series ISO B Replacement Seal Kit	4009	150			
	6000 Series ISO A Male Tip Probe	6001	150			
	6000 Series ISO A Coupling Body Carrier	6002	150			
	6040 Din Push Pull ISO A Series Male Tip Probe	6041	150			
	6040 DIN Push Pull ISO A Series Coupling Body Carrier	6042	150			
	6440 DIN Push Pull Bulkhead ISO A Series Male Tip Probe	6441	151			
	6440 DIN Push Pull Bulkhead ISO A Series Coupling Body Carrier	6442	151			
	6500 Series Male Tip Probe	6501	151			
	6500 Series Coupling Body Carrier	6502	151			
	6800 Series Screw To Connect ISO A Series Male Tip Probe	6801	151			
	6800 Series Screw To Connect ISO A Series Coupling Body Carrier	6802	152			
	6000 Series Plastic Protective Cap	6003	152			
	6000 Series Plastic Protective Plug	6004	152			
	6000 Series Replacement Seal Kit	6009	152			
	7000 Series Flat Face Male Tip Probe	7001	152			
	7000 Series Flat Face Coupling Body Carrier	7002	152			
	Stainless Steel 7000 Series Flat Face Male Tip Probe	SS/7001	152			
	Stainless Steel 7000 Series Flat Face Coupling Body Carrier	SS/7002	152			

1.4



1000 Series (Tipper Truck Couplings) Male Tip Probe

Part Number	Size (dash)	Coupling Size	Thread Size (BSP)
1001-12-12	12	3/4	3/4
1001-16-16	16	1	1



1000 Series (Tipper Truck Couplings) Female Body Carrier

Part Number	Size (dash)	Coupling Size	Thread Size (BSP)
1002-12-12	12	3/4	3/4
1002-16-16	16	1	1



1000 Series (Tipper Truck Couplings) Steel Protective Cap

Part Number	Size (dash)	Coupling Size
1003-12	12	3/4
1003-16	16	1



1000 Series (Tipper Truck Couplings) Steel Protective Plug

Part Number	Size (dash)	Coupling Size
1004-12	12	3/4
1004-16	16	1



1000 Series (Tipper Truck Couplings) Female Parking Station

Part Number	Size (dash)	Coupling Size	Thread Size (BSP)
1008-12-12	12	3/4	3/4
1008-16-16	16	1	1



1100 Series (Trailer Brake Coupling) Male Tip Probe

Part Number	Size (dash)	Coupling Size	Thread Size (BSP)	Max Working Pressure/bar
1101-08-08	08	1/2	1/2	150
1101-08-12L	08	1/2	12L	150
1101-08-12S	08	1/2	12S	150
1101-08-15L	08	1/2	15L	150



1100 Series (Trailer Brake Coupling) Body Carrier

Part Number	Size (dash)	Coupling Size	Thread Size (BSP)	Max Working Pressure/bar
1102-08-06	08	1/2	06	150
1102-08-08	08	1/2	08	150
1102-08-18	08	1/2	M18 x 1.5	150



2000 Series (Valveless Water Coupling) Male Tip Probe

Part Number	Size (dash)	Coupling Size	Thread Size (BSP)	Max Working Pressure/bar
2001-04-04	04	1/4	1/4	300
2001-06-06	06	3/8	3/8	280
2001-08-08	08	1/2	1/2	250



2000 Series (Valveless Water Coupling) Body Carrier

Part Number	Size (dash)	Coupling Size	Thread Size (BSP)	Max Working Pressure/bar
2002-04-04	04	1/4	1/4	300
2002-06-06	06	3/8	3/8	280
2002-08-08	08	1/2	1/2	250



3300 Series Female Thread Male Tip Probe (Poppet Type)

Part Number	Size (dash)	Coupling Size	Thread Size (NPT)	Max Working Pressure/bar
3301-04	04	1/4	1/4	1000
3301-06	06	3/8	3/8	800



3300 Series Female Thread Coupling Body Carrier (Poppet Type)

Part Number	Size (dash)	Coupling Size	Thread Size (NPT)	Max Working Pressure/bar
3302-04	04	1/4	1/4	1000
3302-06	06	3/8	3/8	800



3310 Series Male Thread Coupling Body Carrier (Poppet Type)

Part Number	Size (dash)	Coupling Size	Thread Size (NPT)	Max Working Pressure/bar
3312-04	04	1/4	1/4	800
3312-06	06	3/8	3/8	1000



3600 Series Female Thread Male Tip Probe (Ball Type)

Part Number	Size (dash)	Coupling Size	Thread Size (NPT)	Max Working Pressure/bar
3601-04	04	1/4	1/4	700
3601-06	06	3/8	3/8	700



3600 Series Female Thread Coupling Body Carrier (Ball Type)

Part Number	Size (dash)	Coupling Size	Thread Size (NPT)	Max Working Pressure/bar
3602-04	04	1/4	1/4	700
3602-06	06	3/8	3/8	700

QUICK RELEASE COUPLINGS

3610 Series Male Thread Coupling Body Carrier (Ball Type)

Part Number	Size (dash)	Coupling Size	Thread Size (NPT)	Max Working Pressure/bar
3612-04	04	1/4	1/4	700
3612-06	06	3/8	3/8	700



Stainless Steel 4000 Series ISO B Coupling Body Carrier

Part Number	Size (dash)	Coupling Size	Thread Size (BSP)	Max Working Pressure/bar
SS/4002-04	04	1/4	1/4	300
SS/4002-06	06	3/8	3/8	280
SS/4002-08	08	1/2	1/2	250
SS/4002-12	12	3/4	3/4	250
SS/4002-16	16	1	1	200
SS/4002-24	24	1 1/2	1 1/2	110
SS/4002-32	32	2	2	90



3000 Series Aluminium Cap

Part Number	Size (dash)	Coupling Size
3003-04	04	1/4
3003-06	06	3/8



Brass 4000 Series ISO B Male Tip Probe

Part Number	Size (dash)	Coupling Size	Thread Size (BSP)	Max Working Pressure/bar
B/4001-04	04	1/4	1/4	200
B/4001-06	06	3/8	3/8	200
B/4001-08	08	1/2	1/2	200
B/4001-12	12	3/4	3/4	150
B/4001-16	16	1	1	180
B/4001-24	24	1 1/2	1 1/2	100
B/4001-32	32	2	2	80



3000 Series Aluminium Plug

Part Number	Size (dash)	Coupling Size
3004-04	04	1/4
3004-06	06	3/8



Brass 4000 Series ISO B Coupling Body Carrier

Part Number	Size (dash)	Coupling Size	Thread Size (BSP)	Max Working Pressure/bar
B/4002-04	04	1/4	1/4	200
B/4002-06	06	3/8	3/8	200
B/4002-08	08	1/2	1/2	200
B/4002-12	12	3/4	3/4	150
B/4002-16	16	1	1	180
B/4002-24	24	1 1/2	1 1/2	100
B/4002-32	32	2	2	80



4000 Series ISO B Male Tip Probe

Part Number	Size (dash)	Coupling Size	Thread Size (BSP)	Max Working Pressure/bar
4001-04	04	1/4	1/4	350
4001-06	06	3/8	3/8	325
4001-08	08	1/2	1/2	250
4001-12	12	3/4	3/4	250
4001-16	16	1	1	225
4001-24	24	1 1/2	1 1/2	120
4001-32	32	2	2	100



4000 Series ISO B Plastic Protective Cap

Part Number	Size (dash)	Coupling Size
4003-04	04	1/4
4003-06	06	3/8
4003-08	08	1/2
4003-12	12	3/4
4003-16	16	1
4003-20	20	1 1/4
4003-24	24	1 1/2
4003-32	32	2



4000 Series ISO B Coupling Body Carrier

Part Number	Size (dash)	Coupling Size	Thread Size (BSP)	Max Working Pressure/bar
4002-04	04	1/4	1/4	350
4002-06	06	3/8	3/8	325
4002-08	08	1/2	1/2	250
4002-12	12	3/4	3/4	250
4002-16	16	1	1	225
4002-24	24	1 1/2	1 1/2	120
4002-32	32	2	2	100



4000 Series ISO B Plastic Protective Plug

Part Number	Size (dash)	Coupling Size
4004-04	04	1/4
4004-06	06	3/8
4004-08	08	1/2
4004-12	12	3/4
4004-16	16	1
4004-20	20	1 1/4
4004-24	24	1 1/2
4004-32	32	2



Stainless Steel 4000 Series ISO B Male Tip Probe

Part Number	Size (dash)	Coupling Size	Thread Size (BSP)	Max Working Pressure/bar
SS/4001-04	04	1/4	1/4	300
SS/4001-06	06	3/8	3/8	280
SS/4001-08	08	1/2	1/2	250
SS/4001-12	12	3/4	3/4	250
SS/4001-16	16	1	1	200
SS/4001-24	24	1 1/2	1 1/2	110
SS/4001-32	32	2	2	90



1.
4

**4000 Series ISO B
Replacement Seal Kit**



Part Number	Size (dash)	Coupling Size	Thread Size (BSP)
4009-04	04	1/4	1/4
4009-06	06	3/8	3/8
4009-08	08	1/2	1/2
4009-12	12	3/4	3/4
4009-16	16	1	1
4009-24	24	1 1/2	1 1/2
4009-32	32	2	2

**6000 Series ISO A
Male Tip Probe**



Part Number	Size (dash)	Coupling Size	Thread Size (NPT)	Max Working Pressure/bar
6001-04	04	1/4	1/4	350
6001-06	06	3/8	3/8	300
6001-08	08	1/2	1/2	250
6001-12	12	3/4	3/4	250
6001-16	16	1	1	230
6001-20	20	1 1/4	1 1/4	230
6001-24	24	1 1/2	1 1/2	190
6001-32	32	2	2	130

**6000 Series ISO A
Coupling Body Carrier**



Part Number	Size (dash)	Coupling Size	Thread Size (BSP)	Max Working Pressure/bar
6002-04	04	1/4	1/4	350
6002-06	06	3/8	3/8	300
6002-08	08	1/2	1/2	250
6002-12	12	3/4	3/4	250
6002-16	16	1	1	230
6002-20	20	1 1/4	1 1/4	230
6002-24	24	1 1/2	1 1/2	190
6002-32	32	2	2	130

**6040 DIN Push Pull ISO A
Series Male Tip Probe**



Part Number	Size (dash)	Coupling Size	Thread Size (metric)	Max Working Pressure/bar
6041-06-06L	06	3/8	06L	270
6041-06-08L	06	3/8	08L	270
6041-06-10L	06	3/8	10L	270
6041-06-12L	06	3/8	12L	270
6041-08-08L	08	1/2	08L	250
6041-08-10L	08	1/2	10L	250
6041-08-12L	08	1/2	12L	250
6041-08-15L	08	1/2	15L	250
6041-08-18L	08	1/2	18L	250
6041-12-12L	12	3/4	12L	225
6041-12-15L	12	3/4	15L	225
6041-12-18L	12	3/4	18L	225
6041-12-22L	12	3/4	22L	225
6041-16-18L	16	1	18L	225
6041-16-22L	16	1	22L	225
6041-16-28L	16	1	28L	225

**6040 DIN Push Pull ISO A
Series Male Tip Probe**



Part Number	Size (dash)	Coupling Size	Thread Size (Metric)	Max Working Pressure/bar
6041-16-35L	16	1	35L	225
6041-06-08S	06	3/8	08S	270
6041-06-10S	06	3/8	10S	270
6041-06-12S	06	3/8	12S	270
6041-08-10S	06	1/2	10S	270
6041-08-12S	08	1/2	12S	250
6041-08-14S	08	1/2	14S	250
6041-08-16S	08	1/2	16S	250
6041-08-20S	08	1/2	20S	250
6041-12-10S	12	3/4	10S	225
6041-12-12S	12	3/4	12S	225
6041-12-14S	12	3/4	14S	225
6041-12-16S	12	3/4	16S	225
6041-12-20S	12	3/4	20S	225
6041-16-20S	16	1	20S	225
6041-16-25S	16	1	25S	225
6041-16-30S	16	1	30S	225

**6040 DIN Push Pull ISO A Series
Coupling Body Carrier**



Part Number	Size (dash)	Coupling Size	Thread Size (metric)	Max Working Pressure/bar
6042-06-06L	06	3/8	06L	270
6042-06-08L	06	3/8	08L	270
6042-06-10L	06	3/8	10L	270
6042-06-12L	06	3/8	12L	270
6042-08-08L	08	1/2	08L	250
6042-08-10L	08	1/2	10L	250
6042-08-12L	08	1/2	12L	250
6042-08-15L	08	1/2	15L	250
6042-08-18L	08	1/2	18L	250
6042-12-12L	12	3/4	12L	225
6042-12-15L	12	3/4	15L	225
6042-12-18L	12	3/4	18L	225
6042-12-22L	12	3/4	22L	225
6042-16-18L	16	1	18L	225
6042-16-22L	16	1	22L	225
6042-16-28L	16	1	28L	225
6042-16-35L	16	1	35L	225
6042-06-08S	06	3/8	08S	270
6042-06-10S	06	3/8	10S	270
6042-06-12S	06	3/8	12S	270
6042-08-10S	08	1/2	10S	250
6042-08-12S	08	1/2	12S	250
6042-08-14S	08	1/2	14S	250
6042-08-16S	08	1/2	16S	250
6042-08-20S	08	1/2	20S	250
6042-12-10S	12	3/4	10S	225
6042-12-12S	12	3/4	12S	225
6042-12-14S	12	3/4	14S	225
6042-12-16S	12	3/4	16S	225
6042-12-20S	12	3/4	20S	225
6042-16-20S	16	1	20S	225
6042-16-25S	16	1	25S	225
6042-16-30S	16	1	30S	225

QUICK RELEASE COUPLINGS

6440 DIN Push Pull Bulkhead ISO A Series Male Tip Probe

Part Number	Size (dash)	Coupling Size	Thread Size (Metric)	Max Working Pressure/bar
6441-06-06L	06	3/8	06L	270
6441-06-08L	06	3/8	08L	270
6441-06-10L	06	3/8	10L	270
6441-06-12L	06	3/8	12L	270
6441-08-08L	08	1/2	08L	250
6441-08-10L	08	1/2	10L	250
6441-08-12L	08	1/2	12L	250
6441-08-15L	08	1/2	15L	250
6441-08-18L	08	1/2	18L	250
6441-12-12L	12	3/4	12L	225
6441-12-15L	12	3/4	15L	225
6441-12-18L	12	3/4	18L	225
6441-12-22L	12	3/4	22L	225
6441-16-18L	16	1	18L	225
6441-16-22L	16	1	22L	225
6441-16-28L	16	1	28L	225
6441-16-35L	16	1	35L	225
6441-06-08S	06	3/8	08S	270
6441-06-10S	06	3/8	10S	270
6441-06-12S	06	3/8	12S	270
6441-08-10S	08	1/2	10S	270
6441-08-12S	08	1/2	12S	250
6441-08-14S	08	1/2	14S	250
6441-08-16S	08	1/2	16S	250
6441-08-20S	08	1/2	20S	250
6441-12-10S	12	3/4	10S	225
6441-12-12S	12	3/4	12S	225
6441-12-14S	12	3/4	14S	225
6441-12-16S	12	3/4	16S	225
6441-12-20S	12	3/4	20S	225
6441-16-20S	16	1	20S	225
6441-16-25S	16	1	25S	225
6441-16-30S	16	1	30S	225



6440 DIN Push Pull Bulkhead ISO A Series Coupling Body Carrier

Part Number	Size (dash)	Coupling Size	Thread Size (Metric)	Max Working Pressure/bar
6442-06-08S	06	3/8	08S	270
6442-06-10S	06	3/8	10S	270
6442-06-12S	06	3/8	12S	270
6442-08-10S	06	1/2	10S	250
6442-08-12S	08	1/2	12S	250
6442-08-14S	08	1/2	14S	250
6442-08-16S	08	1/2	16S	250
6442-08-20S	08	1/2	20S	250
6442-12-10S	12	3/4	10S	225
6442-12-12S	12	3/4	12S	225
6442-12-14S	12	3/4	14S	225
6442-12-16S	12	3/4	16S	225
6442-12-20S	12	3/4	20S	225
6442-16-20S	16	1	20S	225
6442-16-25S	16	1	25S	225
6442-16-30S	16	1	30S	225



6500 Series Male Tip Probe

Part Number	Size (dash)	Coupling Size	Thread Size (BSP)	Max Working Pressure/bar
6501-02	02	1/8	1/8	1000
6501-04	04	1/4	1/4	700
6501-06	06	3/8	3/8	600
6501-08	08	1/2	1/2	500
6501-12	12	3/4	3/4	400
6501-16	16	1	1	300
6501-20	20	1 1/4	1 1/4	200
6501-24	24	1 1/2	1 1/2	150
6501-32	32	2	2	100



6500 Series Coupling Body Carrier

Part Number	Size (dash)	Coupling Size	Thread Size (BSP)	Max Working Pressure/bar
6502-02	02	1/8	1/8	1000
6502-04	04	1/4	1/4	700
6502-06	06	3/8	3/8	600
6502-08	08	1/2	1/2	500
6502-12	12	3/4	3/4	400
6502-16	16	1	1	300
6502-20	20	1 1/4	1 1/4	200
6502-24	24	1 1/2	1 1/2	150
6502-32	32	2	2	100



6440 DIN Push Pull Bulkhead ISO A Series Coupling Body Carrier

Part Number	Size (dash)	Coupling Size	Thread Size (metric)	Max Working Pressure/bar
6442-06-06L	06	3/8	06L	270
6442-06-08L	06	3/8	08L	270
6442-06-10L	06	3/8	10L	270
6442-06-12L	06	3/8	12L	270
6442-08-08L	08	1/2	08L	250
6442-08-10L	08	1/2	10L	250
6442-08-12L	08	1/2	12L	250
6442-08-15L	08	1/2	15L	250
6442-08-18L	08	1/2	18L	250
6442-12-12L	12	3/4	12L	225
6442-12-15L	12	3/4	15L	225
6442-12-18L	12	3/4	18L	225
6442-12-22L	12	3/4	22L	225
6442-16-18L	16	1	18L	225
6442-16-22L	16	1	22L	225
6442-16-28L	16	1	28L	225
6442-16-35L	16	1	35L	225



6800 Screw To Connect ISO A Series Male Tip Probe

Part Number	Size (dash)	Coupling Size	Thread Size (BSP)	Max Working Pressure/bar
6801-06-04	06	3/8	1/4	450
6801-06	06	3/8	3/8	450
6801-08-06	08	1/2	3/8	400
6801-08	08	1/2	1/2	400
6801-12-08	12	3/4	1/2	400
6801-12	12	3/4	3/4	400
6801-16-12	16	1	3/4	300
6801-16	16	1	1	300



1.
4

6800 Screw To Connect ISO A Series Coupling Body Carrier



Part Number	Size (dash)	Coupling Size	Thread Size (metric)	Max Working Pressure/bar
6802-06-04	06	3/8	1/4	450
6802-06	06	3/8	3/8	450
6802-08-06	08	1/2	3/8	400
6802-08	08	1/2	1/2	400
6802-12-08	12	3/4	1/2	400
6802-12	12	3/4	3/4	400
6802-16-12	16	1	3/4	300
6802-16	16	1	1	300

6000 Series Plastic Protective Cap



Part Number	Size (dash)	Coupling Size
6003-04	04	1/4
6003-06	06	3/8
6003-08	08	1/2
6003-12	12	3/4
6003-16	16	1
6003-20	20	1 1/4
6003-24	24	1 1/2
6003-32	32	2

6000 Series Plastic Protective Plug



Part Number	Size (dash)	Coupling Size
6004-04	04	1/4
6004-06	06	3/8
6004-08	08	1/2
6004-12	12	3/4
6004-16	16	1
6004-20	20	1 1/4
6004-24	24	1 1/2
6004-32	32	2

6000 Series Replacement Seal Kit



Part Number	Size (dash)	Coupling Size
6009-04	04	1/4
6009-06	06	3/8
6009-08	08	1/2
6009-12	12	3/4
6009-16	16	1
6009-20	20	1 1/4
6009-24	24	1 1/2
6009-32	32	2

7000 Series (Flat Face) Male Tip Probe



Part Number	Size (dash)	Coupling Size	Thread Size (BSP)	Max Working Pressure/bar
7001-04	04	1/4	1/4	315
7001-06	06	3/8	3/8	300
7001-06-08	06	3/8	1/2	300
7001-12	12	3/4	3/4	250
7001-16	16	1	1	250
7001-20	20	1 1/4	1 1/4	250
7001-24	24	1 1/2	1 1/2	200

7000 Series (Flat Face) Coupling Body Carrier



Part Number	Size (dash)	Coupling Size	Thread Size (metric)	Max Working Pressure/bar
7002-04	04	1/4	1/4	315
7002-06	06	3/8	3/8	300
7002-06-08	06	3/8	1/2	300
7002-12	12	3/4	3/4	250
7002-16	16	1	1	250
7002-20	20	1 1/4	1 1/4	250
7002-24	24	1 1/2	1 1/2	200

Stainless Steel 7000 Series (Flat Face) Male Tip Probe



Part Number	Size (dash)	Coupling Size	Thread Size (BSP)	Max Working Pressure/bar
SS/7001-04	04	1/4	1/4	250
SS/7001-06	06	3/8	3/8	250
SS/7001-06-08	06	3/8	1/2	250
SS/7001-08	08	1/2	1/2	200
SS/7001-12	12	3/4	3/4	200
SS/7001-16	16	1	1	160
SS/7001-20	20	1 1/4	1 1/4	125

Stainless Steel 7000 Series (Flat Face) Coupling Body Carrier



Part Number	Size (dash)	Coupling Size	Thread Size (BSP)	Max Working Pressure/bar
SS/7002-04	04	1/4	1/4	250
SS/7002-06	06	3/8	3/8	250
SS/7002-06-08	06	3/8	1/2	250
SS/7002-08	08	1/2	1/2	200
SS/7002-12	12	3/4	3/4	200
SS/7002-16	16	1	1	160
SS/7002-20	20	1 1/4	1 1/4	125

QPQ 7000 Series (Flat Face) Male Tip Probe



Part Number	Size (dash)	Coupling Size	Thread Size (BSP)	Max Working Pressure/bar
QPQ/7001-04	04	1/4	1/4	300
QPQ/7001-06	06	3/8	3/8	300
QPQ/7001-06-08	06	3/8	1/2	300
QPQ/7001-08	08	1/2	1/2	250
QPQ/7001-12	12	3/4	3/4	250
QPQ/7001-16	16	1	1	250
QPQ/7001-20	20	1 1/4	1 1/4	200

QPQ 7000 Series (Flat Face) Coupling Body Carrier



Part Number	Size (dash)	Coupling Size	Thread Size (BSP)	Max Working Pressure/bar
QPQ/7002-04	04	1/4	1/4	300
QPQ/7002-06	06	3/8	3/8	300
QPQ/7002-06-08	06	3/8	1/2	300
QPQ/7002-08	08	1/2	1/2	250
QPQ/7002-12	12	3/4	3/4	250
QPQ/7002-16	16	1	1	250
QPQ/7002-20	20	1 1/4	1 1/4	200

QUICK RELEASE COUPLINGS

7100 Series Bulkhead - Circlip (Flat Face) Male Tip Probe

Part Number	Size (dash)	Coupling Size	Thread Size (metric)	Max Working Pressure/bar
7101-04	04	1/4	1/4	350
7101-06	06	3/8	3/8	350
7101-06-08	06	3/8	1/2	350
7101-08	08	1/2	1/2	350
7101-12	12	3/4	3/4	350
7101-16	16	1	1	350



7100 Series Bulkhead - Circlip (Flat Face) Coupling Body Carrier

Part Number	Size (dash)	Coupling Size	Thread Size (BSP)	Max Working Pressure/bar
7102-04	04	1/4	1/4	350
7102-06	06	3/8	3/8	350
7102-06-08	06	3/8	1/2	350
7102-08	08	1/2	1/2	350
7102-12	12	3/4	3/4	350
7102-16	16	1	1	350



7200 Series Bulkhead - Threaded (Flat Face) Male Tip Probe

Part Number	Size (dash)	Coupling Size	Thread Size (BSP)	Max Working Pressure/bar
7201-04	04	1/4	1/4	350
7201-06	06	3/8	3/8	350
7201-06-08	06	3/8	1/2	350
7201-08	08	1/2	1/2	350
7201-12	12	3/4	3/4	350
7201-16	16	1	1	350



7200 Series Bulkhead - Threaded (Flat Face) Coupling Body Carrier

Part Number	Size (dash)	Coupling Size	Thread Size (BSP)	Max Working Pressure/bar
7202-04	04	1/4	1/4	350
7202-06	06	3/8	3/8	350
7202-06-08	06	3/8	1/2	350
7202-08	08	1/2	1/2	350
7202-12	12	3/4	3/4	350
7202-16	16	1	1	350



7000 Series Plastic Protective Cap (Female)

Part Number	Size (dash)	Coupling Size
7003-04	04	1/4
7003-06	06	3/8
7003-08	08	1/2
7003-12	12	3/4
7003-16	16	1



7000 Series Plastic Protective Cap (Male)

Part Number	Size (dash)	Coupling Size
7004-04	04	1/4
7004-06	06	3/8
7004-08	08	1/2
7004-12	12	3/4
7004-16	16	1



8000 Series (Premier Flat Face) Male Tip Probe

Part Number	Size (dash)	Coupling Size	Thread Size (BSP)	Max Working Pressure/bar
8001-04	04	1/4	1/4	420
8001-06	06	3/8	3/8	350
8001-06-08	06	3/8	1/2	330
8001-08	08	1/2	1/2	330
8001-08-12	12	1/2	1/2	330
8001-12	12	3/4	3/4	330
8001-16	16	1	1	300
8001-20	20	1 1/4	1 1/4	270
8001-24	24	1 1/2	1 1/2	270



8000 Series (Premier Flat Face) Coupling Body Carrier

Part Number	Size (dash)	Coupling Size	Thread Size (BSP)	Max Working Pressure/bar
8002-04	04	1/4	1/4	420
8002-06	06	3/8	3/8	350
8002-06-08	06	3/8	1/2	330
8002-08	08	1/2	1/2	330
8002-08-12	12	1/2	1/2	330
8002-12	12	3/4	3/4	330
8002-16	16	1	1	300
8002-20	20	1 1/4	1 1/4	270
8002-24	24	1 1/2	1 1/2	270



8000 Series Plastic Protective Cap (Female)

Part Number	Size (dash)	Coupling Size
8003-04	04	1/4
8003-06	06	3/8
8003-08	08	1/2
8003-12	12	3/4
8003-16	16	1
8003-20	20	1 1/4
8003-24	24	1 1/2



8000 Series Plastic Protective Cap (Male)

Part Number	Size (dash)	Coupling Size
8004-04	04	1/4
8004-06	06	3/8
8004-08	08	1/2
8004-12	12	3/4
8004-16	16	1
8004-20	20	1 1/4
8004-24	24	1 1/2



1.
4

8600 Series (VP Flat Face Screw To Connect) Male Tip Probe



Part Number	Size (dash)	Coupling Size	Thread Size (BSP)	Max Working Pressure/bar
8601-04	04	1/4	1/4	600
8601-06	06	3/8	3/8	550
8601-08	08	1/2	1/2	550
8601-12	12	3/4	3/4	500
8601-16	16	1	1	470
8601-20	20	1 1/4	1 1/4	400
8601-24	24	1 1/2	1 1/2	400

8600 Series (VP Flat Face Screw To Connect) Coupling Body Carrier



Part Number	Size (dash)	Coupling Size	Thread Size (BSP)	Max Working Pressure/bar
8602-04	04	1/4	1/4	600
8602-06	06	3/8	3/8	550
8602-08	08	1/2	1/2	550
8602-12	12	3/4	3/4	500
8602-16	16	1	1	470
8602-20	20	1 1/4	1 1/4	400
8602-24	24	1 1/2	1 1/2	400

8800 Series Aluminium Protective Cap



Part Number	Size (dash)	Coupling Size
8803-04	04	1/4
8803-06	06	3/8
8803-08	08	1/2
8803-12	12	3/4
8803-16	16	1
8803-20	20	1 1/4
8803-24	24	1 1/2

8800 Series Aluminium Protective Plug



Part Number	Size (dash)	Coupling Size
8804-04	04	1/4
8804-06	06	3/8
8804-08	08	1/2
8804-12	12	3/4
8804-16	16	1
8804-20	20	1 1/4
8804-24	24	1 1/2

8800 Series (VEP Flat Face Screw To Connect) Male Tip Probe



Part Number	Size (dash)	Coupling Size	Thread Size (BSP)	Max Working Pressure/bar
8801-04	04	1/4	1/4	600
8801-06	06	3/8	3/8	550
8801-06-08	08	3/8	1/2	550
8801-08	08	1/2	1/2	550
8801-08-08V	08	1/2	1/2	550
8801-12	12	3/4	3/4	500
8801-16	16	1	1	470
8801-20	20	1 1/4	1 1/4	400
8801-20-20V	20	1 1/4	1 1/4	400
8801-24	24	1 1/2	1 1/2	400

8800 Series (VEP Flat Face Screw To Connect) Coupling Body Carrier



Part Number	Size (dash)	Coupling Size	Thread Size (BSP)	Max Working Pressure/bar
8802-04	04	1/4	1/4	600
8802-06	06	3/8	3/8	550
8802-06-08	08	3/8	1/2	550
8802-08	08	1/2	1/2	550
8802-08-08V	08	1/2	1/2	550
8802-12	12	3/4	3/4	500
8802-16	16	1	1	470
8802-20	20	1 1/4	1 1/4	400
8802-20-20V	20	1 1/4	1 1/4	400
8802-24	24	1 1/2	1 1/2	400

Tema Coupling Body Carrier



Part Number	Size (dash)	Coupling Size	Thread Size (BSP)	Max Working Pressure/bar
TEMA-2510	04	1/4	1/4	450
TEMA-3810	06	3/8	3/8	350
TEMA-5010	08	1/2	1/2	300
TEMA-7510	12	3/4	3/4	280
TEMA-10010	16	1	1	250

Tema Couplings Male Tip Probe



Part Number	Size (dash)	Coupling Size	Thread Size (BSP)	Max Working Pressure/bar
TEMA-2520	04	1/4	1/4	450
TEMA-3820	06	3/8	3/8	350
TEMA-5020	08	1/2	1/2	300
TEMA-7520	12	3/4	3/4	280
TEMA-10020	16	1	1	250