


4.1	<i>Fittings</i>	453
4.2	<i>Flexible Tube</i>	471
4.3	<i>Quick Release Couplings</i>	477
4.4	<i>Actuators</i>	485
4.5	<i>Solenoid &amp; Pneumatic Valves</i>	495
4.6	<i>Mechanical &amp; Manual Valves</i>	507
4.7	<i>Automatic Valves</i>	517
4.8	<i>Filters, Regulators &amp; Lubricators</i>	527
4.9	<i>Air Ring Main System</i>	541

Cylinder Problem? The Solution Is Here. . . . .



The Fastest Cylinder Breakdown Service

***Replacements made in as little as one hour!***

- *Standard and Non-Standard Strokes*
- *Includes Many Cylinder Types*
- *Totally Flexible Delivery and Collection Options*

*PRODUCT INDEX*

	<b>Page</b>
Super-Rapid Compact™ Fittings in Technopolymer	<b>454</b>
Super-Rapid Push-In Fittings for Plastic Tubes	<b>457</b>
Super-Rapid Push-On Fittings for Plastic Tubes	<b>460</b>
Compression Fittings	<b>464</b>
BSP Adaptors Sprint®	<b>466</b>
BSP Adaptors	<b>466</b>

*Super-Rapid Compact™ Fittings in Technopolymer*

Tube external: Ø 4 - 6 - 8 - 10 - 12 - 16.  
Connections M5, M7, 1/8, 1/4, 3/8, 1/2, 3/4

Manufactured in technopolymer these fittings maintain the same technical characteristics as the existing fittings range. Lightweight and adaptable they allow for easy maintenance of the collet and the internal seal. All materials, with the exception of the internal seals, can easily be recycled.



4.  
1

Part Number
7522 4-M5
7522 4-M7
7522 4-1/8
7522 4-1/4
7522 6-M5
7522 6-M7
7522 6-1/8
7522 6-1/4
7522 8-1/8
7522 8-1/4
7522 8-3/8
7522 10-1/4
7522 10-3/8
7522 10-1/2
7522 12-1/4
7522 12-3/8
7522 12-1/2
7522 16-1/2
7522 16-3/4

Part Number
7526 4-1/8
7526 6-1/8
7526 6-1/4
7526 8-1/8
7526 8-1/4

Part Number
7442 4-1/8
7442 6-1/8
7442 6-1/4
7442 8-1/8
7442 8-1/4
7442 8-3/8
7442 10-1/4
7442 10-3/8
7442 12-3/8
7442 12-1/2
7442 16-1/2
7442 16-3/4

Part Number
7432 4-M5
7432 4-1/8
7432 6-M5
7432 6-1/8
7432 6-1/4
7432 8-1/8
7432 8-1/4
7432 8-3/8
7432 10-1/4
7432 10-3/8
7432 12-1/4
7432 12-3/8
7432 12-1/2
7432 16-1/2
7432 16-3/4



Part Number
7542 6-4-1/8
7542 6-4-1/4
7542 8-6-1/8
7542 8-6-1/4
7542 10-8-1/4
7542 10-8-3/8

Part Number
7562 4-1/8
7562 6-1/8
7562 6-1/4
7562 8-1/8
7562 8-1/4
7562 10-1/4
7562 10-3/8

Part Number
7572 4-1/8
7572 4-1/4
7572 6-1/8
7572 6-1/4

Part Number
7622 4-1/8
7622 6-1/8
7622 6-1/4
7622 8-1/8
7622 8-1/4
7622 10-1/4
7622 10-3/8
7622 12-3/8

### Super-Rapid Compact™ Fittings in Technopolymer - continued



Part Number
7652 4-1/8
7652 6-1/8
7652 6-1/4
7652 8-1/8
7652 8-1/4
7652 10-1/4
7652 10-3/8

Part Number
7610 4-1/8
7610 6-1/8
7610 6-1/4
7610 8-1/8
7610 8-1/4
7610 10-1/4
7610 10-3/8
7610 12-3/8

Part Number
7640 4-1/8
7640 6-1/8
7640 6-1/4
7640 8-1/8
7640 8-1/4
7640 10-1/4
7640 10-3/8

Part Number
7632 02-1/8
7632 02-1/4
7632 02-3/8

4.  
1



Part Number
7632 03-1/8
7632 03-1/4

Part Number
7800 4-6
7800 6-8
7800 6-8
7800 8-10
7800 8-12
7800 8-10
7800 8-10
7800 10-12

Part Number
7555 4-4
7555 6-6
7555 8-8
7555 10-10
7555 12-12

Part Number
7580 4
7580 6
7580 8
7580 10
7580 12

Super-Rapid Compact™ Fittings in Technopolymer - continued



4.  
1

Part Number
7550 4
7550 6
7550 8
7550 10
7550 12
7550 16

Part Number
7540 4
7540 6
7540 8
7540 10
7540 12
7540 16

Part Number
7545 6-4
7545 8-6
7545 10-8

Part Number
7560 4
7560 6
7560 8
7560 10
7560 6-4
7560 8-6
7560 10-8



Part Number
7575 6-4
7575 8-6

Part Number
7950 4
7950 6
7950 8
7950 10
7950 12

### Super-Rapid Push-In Fittings For Plastic Tubes

Tube OD 4 - 5 - 6 - 8 - 10 - 12 - 14 - 16.  
Connections: M5, 1/8, 1/4, 3/8, 1/2

This range of super-rapid push-in fittings includes the unique Sprint® sealing system.



Note:  
with O-Ring



Male Stud	
S6510 4 - 1/8	
S6510 4 - 1/4	
S6510 5 - 1/8	
S6510 5 - 1/4	
S6510 6 - 1/8	
S6510 6 - 1/4	
S6510 8 - 1/8	
S6510 8 - 1/4	
S6510 8 - 3/8	
S6510 10 - 1/4	
S6510 10 - 3/8	
S6510 10 - 1/2	
S6510 12 - 1/4	
S6510 12 - 3/8	
S6510 12 - 1/2	
S6510 14 - 3/8	
S6510 14 - 1/2	
S6510 16 - 1/2	
S6510 16 - 3/4	

Male Stud	
6512 4 - M5	
6512 4 - M6	
6512 4 - 1/8	
6512 4 - 1/4	
6512 5 - M5	
6512 6 - M5	
6512 6 - 1/8	
6512 6 - 1/4	
6512 8 - 1/8	
6512 8 - 1/4	
6512 8 - 3/8	
6512 10 - 1/4	
6512 10 - 3/8	
6512 12 - 1/4	
6512 12 - 3/8	

Female Stud	
6463 4 - M5	
6463 4 - 1/8	
6463 5 - 1/8	
6463 6 - 1/8	
6463 6 - 1/4	
6463 8 - 1/8	
6463 8 - 1/4	
6463 10 - 1/4	

Swivel Elbow	
S6520 4 - 1/8	
S6520 4 - 1/4	
S6520 5 - 1/8	
S6520 5 - 1/4	
S6520 6 - 1/8	
S6520 6 - 1/4	
S6520 8 - 1/8	
S6520 8 - 1/4	
S6520 8 - 3/8	
S6520 10 - 1/4	
S6520 10 - 3/8	
S6520 10 - 1/2	
S6520 12 - 1/4	
S6520 12 - 3/8	
S6520 12 - 1/2	
S6520 14 - 3/8	
S6520 14 - 1/2	

4.  
1



Note:  
with O-Ring



Note: with 2661 Nylon Ring



Swivel Elbow	
6522 4 - M5	
6522 4 - 1/8	
6522 4 - 1/4	
6522 5 - M5	
6522 6 - M5	
6522 6 - 1/8	
6522 6 - 1/4	
6522 8 - 1/8	
6522 8 - 1/4	
6522 8 - 3/8	
6522 10 - 1/4	
6522 10 - 3/8	
6522 12 - 1/4	
6522 12 - 3/8	

Fixed Male Elbow - Taper	
S6500 4 - 1/8	
S6500 4 - 1/4	
S6500 5 - 1/8	
S6500 5 - 1/4	
S6500 6 - 1/8	
S6500 6 - 1/4	
S6500 8 - 1/8	
S6500 8 - 1/4	
S6500 8 - 3/8	
S6500 10 - 1/4	
S6500 10 - 3/8	
S6500 12 - 1/4	
S6500 12 - 3/8	

Fixed Male Elbow - Parallel	
6501 4 - M5	



Extended Swivel Elbow	
6525 6 - 1/8	
6525 6 - 1/4	
6525 8 - 1/8	
6525 8 - 1/4	

Swivel Branch Tee	
S6430 4 - 1/8	
S6430 5 - 1/8	
S6430 5 - 1/4	
S6430 6 - 1/8	
S6430 6 - 1/4	
S6430 8 - 1/8	
S6430 8 - 1/4	
S6430 8 - 3/8	
S6430 10 - 1/4	
S6430 10 - 3/8	
S6430 10 - 1/2	
S6430 12 - 1/4	
S6430 12 - 3/8	
S6430 12 - 1/2	
S6430 14 - 1/2	

Super-Rapid Push-In Fittings For Plastic Tubes - continued



Note:  
with O-Ring

Swivel Branch Tee	
6432	4 - M5
6432	4 - 1/8
6432	5 - M5
6432	6 - 1/8
6432	6 - 1/4
6432	8 - 1/8
6432	8 - 1/4
6432	8 - 3/8
6432	10 - 1/4
6432	10 - 3/8
6432	12 - 1/4
6432	12 - 3/8



Swivel Run Tee	
S6440	4 - 1/8
S6440	5 - 1/8
S6440	5 - 1/4
S6440	6 - 1/8
S6440	6 - 1/4
S6440	8 - 1/8
S6440	8 - 1/4
S6440	8 - 3/8
S6440	10 - 1/4
S6440	10 - 3/8
S6440	12 - 3/8
S6440	14 - 1/2



Note:  
with O-Ring

Swivel Run Tee	
6442	4 - M5
6442	4 - 1/8
6442	5 - M5
6442	6 - 1/8
6442	6 - 1/4
6442	8 - 1/8
6442	8 - 1/4
6442	8 - 3/8
6442	10 - 1/4
6442	10 - 3/8
6442	12 - 1/4
6442	12 - 3/8



Fixed Y Connector	
6451	4 - M5
6451	6 - M5

Swivel Y Connector	
S6450	4 - 1/8
S6450	6 - 1/8
S6450	8 - 1/8
S6450	8 - 1/4



Note:  
with O-Ring

Single Banjo	
6622	4 - M5
6622	4 - 1/8
6622	6 - 1/8
6622	6 - 1/4
6622	8 - 1/8
6622	8 - 1/4
6622	10 - 1/4



Note:  
with O-Ring

Double Banjo	
6632	4 - 1/8
6632	6 - 1/8
6632	6 - 1/4
6632	8 - 1/8
6632	8 - 1/4
6632	10 - 1/4



• Banjo ring connector required for M5 versions of SCU, MCO, SVU, MVU, SCO and MCO  
\* assembly required with Part Number 1635

Single Banjo Ring	
6610	4 - M5
6610	4 - M6•
6610	4 - 1/8
6610	5 - M5
6610	5 - M6•
6610	5 - 1/8
6610	6 - M5
6610	6 - M6•
6610	6 - 1/8
6610	6 - 1/4
6610	8 - 1/8
6610	8 - 1/4
6610	8 - 3/8
6610	10 - 1/4*
6610	10 - 3/8*
6610	12 - 1/2*



Stem Adaptor	
6811	4 - M5
6811	4 - 1/8
6811	5 - 1/8
6811	5 - 1/4
6811	6 - 1/8
6811	6 - 1/4
6811	8 - 1/8
6811	8 - 1/4
6811	10 - 1/4
6811	10 - 3/8
6811	12 - 3/8
6811	14 - 3/8
6811	14 - 1/2



### Super-Rapid Push-In Fittings For Plastic Tubes - continued



Double Banjo Ring Connector	
6620	4 - M5
6620	4 - 1/8
6620	6 - 1/8
6620	6 - 1/4
6620	8 - 1/8
6620	8 - 1/4



Tube to Tube Connector	
6580	4
6580	5
6580	6
6580	8
6580	10
6580	12
6580	14



Bulkhead Connector	
6590	4
6590	5
6590	6
6590	8
6590	10
6590	12
6590	14



Equal Tube Elbow	
6550	4
6550	5
6550	6
6550	8
6550	10
6550	12
6550	14



Equal Tube Tee	
6540	4
6540	5
6540	6
6540	8
6540	10
6540	12
6540	14



Equal Tube Y	
6560	4
6560	6
6560	8
6560	10



Equal Tube Cross Connector	
6600	4
6600	5
6600	6
6600	8
6600	10
6600	12



Press Fit Cartridge	
6700	4
6700	5
6700	6
6700	8
6700	10



Tube Blanking Cap	
6750	4
6750	6
6750	8
6750	10
6750	12



Blanking Plug (plastic)	
6900	4
6900	5
6900	6
6900	8
6900	10
6900	12
6900	14



Tube Stem Reducer	
6800	4 - 5
6800	4 - 6
6800	4 - 8
6800	5 - 6
6800	5 - 8
6800	6 - 8
6800	6 - 10
6800	6 - 12
6800	8 - 10
6800	8 - 12
6800	10 - 12
6800	10 - 14
6800	12 - 14

4.  
1

Super-Rapid Push-In Fittings For Plastic Tubes - continued



Tube Stem Increaser		
6850	6	- 4
6850	8	- 6

Straight Stem	
6950	4
6950	6
6950	8
6950	10
6950	12
6950	14

Tube to Stem Elbow		
6555	4	- 4
6555	6	- 6
6555	8	- 8
6555	10	- 10

Dust Cover	
6708	4
6708	5
6708	6
6708	8
6708	10
6708	12
6708	14

4.1

Rapid Push-On Fittings For Plastic Tubes

Tubes OD 5/3 - 6/4 - 8/6 - 10/8 - 12/10 - 15/12,5  
Connections: M5, M6, M12x1.25, M12x1.5, 1/8, 1/4, 3/8, 1/2

The Pirtek range of rapid push-on fittings are designed to assist with the assembly of fluid power components and systems.



Male Stud - Taper		
1510	5/3	- 1/8
1510	6/4	- 1/8
1510	6/4	- 1/4
1510	6/4	- 3/8
1510	6/4	- 1/2
1510	6/4	- M12x1.25
1510	8/6	- 1/8
1510	8/6	- 1/4
1510	8/6	- 3/8

1510	8/6	- 1/2
1510	10/8	- 1/8
1510	10/8	- 1/4
1510	10/8	- 3/8
1510	10/8	- 1/2
1510	12/10	- 3/8
1510	12/10	- 1/2
1510	15/12.5	- 1/2

Male Stud - Parallel		
1511	5/3	- M5
1511	5/3	- M6
1511	5/3	- 1/8
1511	6/4	- M5
1511	6/4	- M6
1511	6/4	- 1/8
1511	6/4	- 1/4
1511	6/4	- 3/8
1511	8/6	- 1/8
1511	8/6	- 1/4
1511	8/6	- 3/8

### Rapid Push-On Fittings For Plastic Tubes



Male Stud Swivel	
1560	6/4 - 1/8
1560	6/4 - 1/4
1560	8/6 - 1/8
1560	8/6 - 1/4
1560	10/8 - 1/4
1560	10/8 - 3/8
1560	12/10 - 3/8



Female Stud	
1463	5/3 - 1/8
1463	6/4 - 1/8
1463	6/4 - 1/4
1463	6/4 - 3/8
1463	8/6 - 1/8
1463	8/6 - 1/4
1463	8/6 - 3/8
1463	10/8 - 1/8
1463	10/8 - 1/4
1463	10/8 - 3/8
1463	10/8 - 1/2
1463	12/10 - 3/8



Swivel Elbow	
1541	6/4 - 1/8
1541	6/4 - 1/4
1541	8/6 - 1/8
1541	8/6 - 1/4
1541	10/8 - 1/4



Note: with 2661 Nylon Ring

Fixed Stud Elbow - Parallel	
1501	5/3 - M5



Fixed Male Elbow - Taper	
1500	5/3 - 1/8
1500	6/4 - 1/8
1500	6/4 - 1/4
1500	6/4 - 3/8
1510	6/4 - M12x1.25
1500	8/6 - 1/8
1500	8/6 - 1/4
1500	8/6 - 3/8
1500	8/6 - 1/2
1500	10/8 - 1/8
1500	10/8 - 1/4
1500	10/8 - 3/8
1500	10/8 - 1/2
1500	12/10 - 3/8
1500	12/10 - 1/2
1500	15/12.5 - 1/2

4.  
1



Fixed Female Elbow	
1493	6/4 - 1/8
1493	6/4 - 1/4
1493	8/6 - 1/8
1493	8/6 - 1/4
1493	10/8 - 1/4
1493	12/10 - 3/8



Swivel Branch Tee	
1431	6/4 - 1/8
1431	6/4 - 1/4
1431	8/6 - 1/8
1431	8/6 - 1/4
1431	10/8 - 1/4



Fixed Branch Tee - Taper	
1410	5/3 - 1/8
1410	6/4 - 1/8
1410	6/4 - 1/4
1410	8/6 - 1/8
1410	8/6 - 1/4
1410	10/8 - 1/8
1410	10/8 - 1/4
1410	10/8 - 3/8
1410	10/8 - 1/2
1410	12/10 - 3/8
1410	12/10 - 1/2
1410	15/12.5 - 1/2



Fixed Run Tee - Taper	
1420	5/3 - 1/8
1420	6/4 - 1/8
1420	6/4 - 1/4
1420	8/6 - 1/8
1420	8/6 - 1/4
1420	10/8 - 1/8
1420	10/8 - 1/4

Rapid Push-On Fittings For Plastic Tubes



• Banjo ring connector required for M5 versions of SCU, MCO, SVU, MVU, SCO and MCO  
\* assembly required with Part Number 1635

Banjo Assemblies

1521 5/3 - M5
1521 5/3 - 1/8
1521 6/4 - M5
1521 6/4 - 1/8
1521 6/4 - 1/4
1521 6/4 - 3/8
1521 8/6 - 1/8
1521 8/6 - 1/4
1521 8/6 - 3/8
1510 8/6 - 1/2

Banjo Assemblies

1525 6/4 - 1/8
1525 6/4 - 1/4
1525 6/4 - 3/8
1525 8/6 - 1/8
1525 8/6 - 1/4
1525 8/6 - 3/8
1525 10/8 - 1/8
1525 10/8 - 1/4
1525 10/8 - 3/8
1525 10/8 - 1/2
1525 12/10 - 3/8
1525 12/10 - 1/2
1525 15/12.5 - 1/2

Single Banjo Ring Connector

1610 5/3 - M5
1610 5/3 - M6•
1610 5/3 - 1/8
1610 6/4 - M5
1610 6/4 - M6•
1610 6/4 - 1/8
1610 6/4 - 1/4
1610 6/4 - 3/8
1610 8/6 - 1/8
1610 8/6 - 1/4
1610 8/6 - 3/8
1610 10/8 - 1/8*
1610 10/8 - 1/4*
1610 10/8 - 3/8*
1610 10/8 - 1/2*
1610 12/10 - 3/8*
1610 12/10 - 1/2*
1610 15/12.5 - 1/2*

Double Banjo Ring Connector

1620 6/4 - M5
1620 6/4 - 1/8
1620 6/4 - 1/4
1620 8/6 - 1/8
1620 8/6 - 1/4

4.1



Single Banjo Bolt (up to & incl 8mm)

1631 01 - M5
1631 01 - 1/8
1631 01 - 1/4
1631 01 - 3/8
1631 01 - 1/2

Double Banjo Bolt (up to & incl 8mm)

1631 02 - 1/8
1631 02 - 1/4
1631 02 - 3/8

Double Banjo Bolt(8mm & above)

1635 02 - 1/8
1635 02 - 1/4
1635 02 - 3/8
1635 02 - 1/2

Triple Banjo Bolt(up to & incl 8mm)

1631 03 - 1/8
1631 03 - 1/4
1631 03 - 3/8



Single Banjo Bolt (8mm & above)

1635 01 - 1/8
1635 01 - 1/4
1635 01 - 3/8
1635 01 - 1/2
1635 01 - M12x1.25
1635 01 - M12x1.5

### Rapid Push-On Fittings For Plastic Tubes



Tube to Tube Connector
1580 5/3
1580 6/4
1580 8/6-6/4
1580 8/6
1580 10/8-6/4
1580 10/8
1580 12/10
1580 15/12.5



Bulkhead Tube Connector
1590 5/3
1590 6/4-5/3
1590 6/4
1590 8/6-6/4
1590 8/6
1590 10/8
1590 12/10



Equal Tube Elbow
1550 6/4
1550 8/6
1550 10/8
1550 12/10
1550 15/12.5



Equal Tube Tee
1540 5/3
1540 6/4
1540 8/6-6/4
1540 8/6
1540 10/8-6/4
1540 10/8-8/6
1540 10/8
1540 12/10
1540 15/12.5



Equal Tube Cross
1600 6/4
1600 8/6



Tube Stem Adaptor
1470 6/4-6
1470 8/6-8



Plastic Blanking Cap
1710 5/3
1710 6/4
1710 8/6
1710 10/8
1710 12/10

Useful for blanking off or testing purposes



Anti Kink Tube Nut
1723 6/4 - M10x1
1723 8/6 - M12x1
1723 10/8 - M14x1
1723 12/10 - M16x1
1723 15/12.5 - M20x1



Aluminium Washer
2651 1/8
2651 1/4
2651 3/8
2651 1/2



Nylon Spacer 5mm
2665 1/8
2665 1/4
2665 3/8
2665 1/2



Tube Nut
1703 5/3 - M7x0.75
1703 6/4 - M8x0.75
1703 6/4 - M10x1
1703 8/6 - M12x1
1703 10/8 - M14x1
1703 12/10 - M16x1
1703 15/12.5 - M20x1



Nylon Washer
2661 M3
2661 M5
2661 M6
2661 1/8
2661 1/4
2661 3/8
2661 1/2



Nylon Spacer 9mm
2669 1/8
2669 1/4
2669 3/8
2669 1/2

4.  
1

Compression Fittings

Tube OD 4 - 6 - 8 - 10 - 12  
Connections: 1/8, 1/4, 3/8, 1/2.

This range of compression fittings are designed to assist with the assembly of fluid power components and systems.



4.  
1

Male Stud - Taper	
1050	4 - 1/8
1050	6 - 1/8
1050	6 - 1/4
1050	8 - 1/8
1050	8 - 1/4
1050	8 - 3/8
1050	10 - 1/4
1050	10 - 3/8
1050	10 - 1/2
1050	12 - 1/4
1050	12 - 3/8
1050	12 - 1/2

Female Stud	
1063	4 - 1/8
1063	6 - 1/8
1063	6 - 1/4
1063	8 - 1/8
1063	8 - 1/4

Fixed Male Elbow - Taper	
1020	4 - 1/8
1020	6 - 1/8
1020	6 - 1/4
1020	8 - 1/8
1020	8 - 1/4
1020	8 - 3/8
1020	10 - 1/4
1020	10 - 3/8
1020	10 - 1/2
1020	12 - 1/4
1020	12 - 3/8
1020	12 - 1/2

Fixed Female Elbow	
1093	4 - 1/8
1093	6 - 1/8
1093	6 - 1/4
1093	8 - 1/8
1093	8 - 1/4



Fixed Branch Tee - Taper	
1000	4 - 1/8
1000	6 - 1/8
1000	8 - 1/4
1000	10 - 1/4

Fixed Run Tee - Taper	
1010	4 - 1/8
1010	6 - 1/8
1010	8 - 1/4
1010	10 - 1/4

Tube to Tube Connector	
1230	4
1230	6
1230	8
1230	10
1230	12

Bulkhead Connector	
1250	4
1250	6
1250	8
1250	10



Equal Tube Elbow	
1220	4
1220	6
1220	8
1220	10
1220	12

Equal Tube Tee	
1210	4
1210	6
1210	8
1210	10
1210	12

Single Banjo Ring Connector	
1170	6 - 1/8
1170	6 - 1/4
1170	8 - 1/8*

\* assembly required with Part Number 1635

Tube Nut	
1303	4 - 1/8
1303	6 - 1/8
1303	8 - 1/4
1303	10 - 3/8
1303	12 - 1/2

### Compression Fittings - continued



Olive
<b>1310 4</b>
<b>1310 6</b>
<b>1310 8</b>
<b>1310 10</b>
<b>1310 12*</b>
*biconical



Tube Insert
<b>1320 4</b>
<b>1320 6</b>
<b>1320 8</b>
<b>1320 10</b>

### BSP Adaptors Sprint®

Connections: 1/8, 1/4, 3/8, 1/2

The more popular versions of the Camozzi BSP adaptors are now available with the unique Sprint® sealing system.



Nipple - Taper
<b>S2500 1/8</b>
<b>S2500 1/4</b>
<b>S2500 3/8</b>
<b>S2500 1/2</b>



Reducing Nipple - Taper
<b>S2510 1/8 - 1/4</b>
<b>S2510 1/8 - 3/8</b>
<b>S2510 1/4 - 3/8</b>
<b>S2510 1/4 - 1/2</b>
<b>S2510 3/8 - 1/2</b>



Adaptor - Taper
<b>S2520 1/8 - 1/8</b>
<b>S2520 1/8 - 1/4</b>
<b>S2520 1/8 - 3/8</b>
<b>S2520 1/4 - 1/4</b>
<b>S2520 1/4 - 3/8</b>
<b>S2520 1/4 - 1/2</b>
<b>S2520 3/8 - 3/8</b>
<b>S2520 3/8 - 1/2</b>
<b>S2520 1/2 - 1/2</b>



Reducing Bush - Taper
<b>S2530 1/4 - 1/8</b>
<b>S2530 3/8 - 1/8</b>
<b>S2530 1/2 - 1/8</b>
<b>S2530 3/8 - 1/4</b>
<b>S2530 1/2 - 1/4</b>
<b>S2530 1/2 - 3/8</b>



Swivel Adaptor
<b>2541 1/8 - 1/8</b>
<b>2541 1/4 - 1/4</b>
<b>2541 3/8 - 3/8</b>



Male Elbow - Taper
<b>S2010 1/8</b>
<b>S2010 1/4</b>
<b>S2010 3/8</b>
<b>S2010 1/2</b>



Male/Female Elbow - Taper
<b>S2020 1/8 - 1/8</b>
<b>S2020 1/4 - 1/4</b>
<b>S2020 3/8 - 3/8</b>
<b>S2020 1/2 - 1/2</b>



Y Connector - Taper
<b>S2040 1/8 - 1/8</b>
<b>S2040 1/4 - 1/4</b>
<b>S2040 3/8 - 3/8</b>
<b>S2040 1/2 - 1/2</b>

4.  
1

BSP Adaptors Sprint®



Female Run Tee - Taper
S2050 1/8 - 1/8
S2050 1/4 - 1/4
S2050 3/8 - 3/8
S2050 1/2 - 1/2



Male Branch Tee - Taper
S2060 1/8 - 1/8
S2060 1/4 - 1/4
S2060 3/8 - 3/8
S2060 1/2 - 1/2



Male Run Tee - Taper
S2070 1/8 - 1/8
S2070 1/4 - 1/4
S2070 3/8 - 3/8
S2070 1/2 - 1/2



Equal Male Tee - Taper
S2080 1/8
S2080 1/4
S2080 3/8
S2080 1/2

4.1



Female Branch - Taper
S2090 1/8 - 1/8
S2090 1/4 - 1/4
S2090 3/8 - 3/8
S2090 1/2 - 1/2



Male Plug
S2610 1/8
S2610 1/4
S2610 3/8
S2610 1/2



Male Plug - Flush Fitting - Parallel
S2615 1/8
S2615 1/4
S2615 3/8

BSP Adaptors

Connections: M5, 1/8, 1/4, 3/8, 1/2, 3/4 and 1.

This range of BSP adaptors and hose tails are designed to assist with the assembly of fluid power components and systems.



Nipple - Taper
2500 1/8
2500 1/4
2500 3/8
2500 1/2
2500 3/4
2500 1



Nipple - Parallel
2501 M5
2501 1/8
2501 1/4
2501 3/8
2501 1/2



Reducing Nipple - Taper
2510 1/8 - 1/4
2510 1/8 - 3/8
2510 1/4 - 3/8
2510 1/4 - 1/2
2510 3/8 - 1/2
2510 1/2 - 3/4



Reducing Nipple - Parallel
2511 M5 - 1/8
2511 1/8 - 1/4
2511 1/8 - 3/8
2511 1/4 - 3/8
2511 1/4 - 1/2
2511 3/8 - 1/2



### BSP Adaptors



Adaptor - Taper

2520 1/8 - 1/8
2520 1/8 - 1/4
2520 1/8 - 3/8
2520 1/4 - 1/4
2520 1/4 - 3/8
2520 1/4 - 1/2
2520 3/8 - 3/8
2520 3/8 - 1/2
2520 1/2 - 1/2



Adaptor - Parallel

2521 M5 - 1/8
2521 1/8 - 1/8
2521 1/8 - 1/4
2521 1/8 - 3/8
2521 1/4 - 1/4
2521 1/4 - 3/8
2521 1/4 - 1/2
2521 3/8 - 3/8
2521 3/8 - 1/2
2521 1/2 - 1/2



Extension Piece - Parallel

2525 1/8 - 16
2525 1/8 - 36
2525 1/4 - 27
2525 1/4 - 43



Reducing Bush - Taper

2530 1/4 - 1/8
2530 3/8 - 1/8
2530 1/2 - 1/8
2530 3/8 - 1/4
2530 1/2 - 1/4
2530 1/2 - 3/8
2530 3/4 - 1/2
2530 1 - 3/4

4.  
1



Reducing Bush - Parallel

2531 1/8 - M5
2531 1/4 - 1/8
2531 3/8 - 1/8
2531 3/8 - 1/4
2531 1/2 - 1/8
2531 1/2 - 1/4
2531 1/2 - 3/8



Female Connector

2543 M5
2543 1/8
2543 1/4
2543 3/8
2543 1/2



Female Reducer

2553 M5 - 1/8
2553 1/8 - 1/4
2553 1/8 - 3/8
2553 1/8 - 1/2
2553 1/4 - 3/8
2553 1/4 - 1/2
2553 3/8 - 1/2



Blanking Plug - Parallel

2611 M5
2611 1/8
2611 1/4
2611 3/8
2611 1/2



Blanking Plug - Taper

2610 3/4
----------



Hose Tail - Parallel

2601 2 - M5
2601 4.5 - M5
2601 7 - 1/8
2601 7 - 1/4
2601 8 - 1/8
2601 9 - 1/8
2601 9 - 1/4
2601 9 - 3/8
2601 12 - 1/4
2601 12 - 3/8
2601 12 - 1/2
2601 17 - 3/8
2601 17 - 1/2



Male Elbow - Taper

2010 1/8
2010 1/4
2010 3/8
2010 1/2
2010 3/4
2010 1



Female Elbow

2013 1/8
2013 1/4
2013 3/8
2013 1/2



Blanking Nut - Parallel

2613 1/8
2613 1/4
2613 3/8
2613 1/2



Male/Female Elbow - Taper	
2021	M5 - M5
2020	1/8 - 1/8
2020	1/4 - 1/4
2020	3/8 - 3/8
2020	1/2 - 1/2



Female Run Tee - Taper	
2050	1/8 - 1/8
2050	1/4 - 1/4
2050	3/8 - 3/8
2050	1/2 - 1/2



Male Branch Tee - Taper	
2060	1/8 - 1/8
2060	1/4 - 1/4
2060	3/8 - 3/8
2060	1/2 - 1/2



Male Run Tee - Taper	
2070	1/8 - 1/8
2070	1/4 - 1/4
2070	3/8 - 3/8
2070	1/2 - 1/2



Equal Male Tee - Taper	
2080	1/8
2080	1/4
2080	3/8
2080	1/2



Female Branch Tee - Taper	
2090	1/8 - 1/8
2090	1/4 - 1/4
2090	3/8 - 3/8
2090	1/2 - 1/2



Equal Female Tee	
2003	1/8
2003	1/4
2003	3/8
2003	1/2



Y Connector - Taper	
2040	1/8 - 1/8
2040	1/4 - 1/4
2040	3/8 - 3/8
2040	1/2 - 1/2



Female Y Connector	
2043	1/8
2043	1/4
2043	3/8
2043	1/2



Female Equal Cross	
2033	1/8
2033	1/4
2033	3/8



• Banjo ring connector required for M5 versions of SCU, MCO, SVU, MVU, SCO and MCO  
\* assembly required with Part Number 1635

Banjo Ring Connector	
2023	M5 - M5
2023	M5 - M6 •
2023	1/8 - 1/8
2023	1/4 - 1/4*
2023	3/8 - 3/8*



Bulkhead Fitting Parallel	
2593	M16 - 1/8
2593	M20 - 1/4
2593	M26 - 3/8
2593	M28 - 1/2



Hexagon Locking Nut - BSPP	
1253	1/8
1253	1/4
1253	3/8
1253	1/2



Hexagon Locking Nut - Metric	
1593	M12x1
1593	M20x1.5

4.1

# Pneumatic Fitting Kits



## Pneumatic First Aid Kit

Contains Wide Range of Most Popular Fittings



## 4mm - 12mm Fitting Boxes

Each Box Specialises in One Size (4mm - 12mm)